

D

INDEX MAPS.

T. 9 N. R. 10 W. 2nd Mer.

	137	138	138	138	138	138	
	140	140	139	139	139	139	
142	6	160	5	155	4	152	3
	148	2	145	1	137		
	160	161	159	155	157	148	145
141	7	139	8	154	9	151	10
	148	11	144	12	137		
	157	161	159	154	151	147	144
141	18	158	17	154	16	151	15
	147	14	144	13	136		
	158	161	158	154	150	147	145
141	19	138	20	153	21	150	22
	146	23	143	24	136		
	157	157	153	150	146	143	
140	30	157	29	153	28	149	27
	146	26	142	25	136		
	156	156	152	149	145	142	
140	31	156	32	152	33	149	34
	145	35	142	36	136		
	133	133	133	133	134	134	
	135	135	135	135			

T. 10 N. R. 10 W. 2nd Mer.

	167	168	168	168	168	168	
	169	169	169	169	169	169	
172	6	189	5	185	4	182	3
	178	2	175	1	167		
	189	188	185	181	178	175	
172	7	188	8	184	9	181	10
	178	11	175	12	167		
	188	188	184	181	177	174	
171	18	188	17	184	16	181	15
	177	14	174	13	166		
	187	187	183	180	177	174	
171	19	187	20	183	21	180	22
	177	23	174	24	166		
	187	186	183	180	176	173	
171	30	186	29	183	28	179	27
	176	26	173	25	166		
	186	186	182	179	176	173	
171	31	185	32	182	33	179	34
	175	35	172	36	165		
	163	163	163	163	163	164	
	165	165	165	164	164		

Meanders - 189

The figures on the lines refer to the page.

Township N. 10. North of Range N. 10 West of the 2nd Mer. Ind. 163

South Boundary

0111.

East On a Random line On the South B. of sec. 31.
T. 10 N. R. 10 W.

32.00 To about 100th mile, corner J.

40.00 Set a temp. post in sec. post.

80.00 Set a temp. post for the cn. of sec. 31 & 32.
Land low bottom which overflows.

East On a Random line On the South B. of sec. 32.
T. 10 N. R. 10 W.

40.00 Set a temp. post in sec. post.

80.00 Set a temp. post in sec. post. for the cn. of sec. 32 & 33.
Land R. 1/2 mile hard and rather wet; last 1/2 good
for wheat Timber Oak & Hickory principally

East On a Random line On the South B. of sec. 33.
T. 10 N. R. 10 W.

40.00 Set a temp. post in sec. post.

80.00 Set a " post for the cn. of sec. 33 & 34.
Land hard and rather wet; Timber principally Oak,
& Hickory.

East On a Random line On the South B. of sec. 34.
T. 10 N. R. 10 W.

40.00 Set a temp. post in sec. post.

80.00 Set a temp. post for the cn. of sec. 34 & 35.
Land hard and part good for farming and part
rather wet. Timber Oak Hickory Sugar, Ash & Elm.

East On a Random line On the South B. of sec. 35.
T. 10 N. R. 10 W.

40.00 Set a temp. post in sec. post.

80.00 Set a temp. post for the cn. of sec. 35 & 36.
The greatest part of this mile is rich land for farming
and some part rather too wet. Timber Red, Sugar
Elm, Ash &c.

East On a Random line On the South B. of Jan. 36.
 40.00 Set a temp. 7/4 sapost.
 68.50 To a small Brook. Corner N. W.
 78.07 Set the N. 53 line 144 lbs. North of the first cor. of
 Aug. 1. 6. 31 1836. Temp. 7. 9 + 10. N. 7. 9 + 10 W.
 Same do Same

April 18. 1814. T. 60 45. N. W. C. 129
 West On the true line On the South B. of Jan. 36.
 T. 10 N. R. 10 W.
 40.00 Set the temp. 7/4 sapost. on the true line from which
 N Oak 24 in diam. bears N 57 W. 23 lbs. dist; 7/4
 10. 24 " " " S 27 W. 20 " "
 80.00 Set the temp. 7/4 post on the true line for the cor. of 35 1836.
 from which, Sugar. 9 in diam. bears N 49 W. 27 lbs. dist
 and a Elm. 10 " " " S 53 E. 3 " "

West On the true line On the South B. of Jan. 35.
 T. 10 N. R. 10 W.
 40.00 Set a 7/4 sapost on the true line from which
 Elm. 24 in diam. bears S 27 E. 6 lbs. dist; 7/4
 Maple 10 " " " S 27 W. 16 "
 80.00 Set the temp. 7/4 post at the true line for the cor. of 34
 35 from which,
 Sugar. 12 in diam. bears N 66 W. — the dist; 7/4
 Do. 12 " " " S 27 W. 23 " "

West On the true line On the South B. of Jan. 34
 T. 10 N. R. 10 W.
 40.00 Set the temp. 7/4 sapost on the true line from which,
 Elm. 10 in diam. bears N 4 E. 38 lbs. dist; 7/4
 Do. 12 " " " S 55 W. 16 "
 80.00 Set the temp. 7/4 post on the true line for the cor. of 33 1834
 from which, N Oak 11 in diam. bears N 46 E. 20 lbs. dist
 and a N Oak 10 " " " S 5 W. 7 3 " "

T. No 10 N R. No 10 W 2nd Mer. Ind. 165

West On the true line On the South 137 of cu. 33.
T. 10 N R. 10 W
40.00 Set the temporary support on the true line from which
Elm 14 in diam. bears. N 20 E 23 the creek, to
Lo. 13 " " " S 62 E 41 " "
80.00 Set the temporary post on the true line for the corner of sec.
32 & 33 from which
Hickory 14 in diam. bears. N 6 E 60 the creek, to
Oak 20 " " " S 29 E 34 " "

West On the true line On the South 137 of cu. 32
T. 10 N R. 10 W
40.00 Set a permanent support on the true line from which
Locust 30 in diam. bears. S 87 E 55 the creek, to
Lo. 30 " " " S 78 W 41 " "
80.00 Set a temporary post on the true line for the corner of sec.
31 & 32 from which
Oak 27 in diam. bears. N 37 W 32 the creek, to
Lo. 15 " " " S 83 E 23 " "

West On the true line On the South 137 of cu. 31
T. 10 N R. 10 W
40.00 Set the temporary support at the true line from which
Poplar 5 in diam. bears. N 18 E 6 the creek, to
Hickory 12 " " " S 63 E 49 " "
78.07 Set the post at the intersection of the lines (106 the S.
of the intersection of the Randoms) for the corner of S.
9.00 N R. 10 W. West from which
Oak 30 in diam. bears. N 70 W 4 the creek, to
Hickory 13 " " " S 69 E 71 " "

East Boundary T. 10 N 45'
North On the East 137 of cu. 36. T. 10 N R. 10 W.
21.00 Iron Rock 8 the main, corner S. W.
40.00 Set a permanent support from which
Oak 12 in diam. bears. S 27 E 33 the creek, to

C. 126

80.00	W Oak 14 in dia. trees N 87 W 21 the dist; 1 Set a post for the cor. of sec. 25 T 36. from which, W Oak 9 in dia. trees N 58 E 11 the dist; to T 3 Oak 18 " " " S 21 W 29 " " Said land timber Oak, Hickory, Ash, Gum &c. Land minding good for farming
North 40.00	On the East 1/2 of sec. 25 T 10 N R 10 W Set a 7/8 post from which, Sugon. 9 in dia. trees. S 32 W 18 the dist; to Elm. 8 " " " N 53 W 11 " "
55.00	Tr a Brook 8 the mile corner N.W.
57.50	" " Do. 10 " " " N.W.
80.00	Set a post for the cor. of sec. 24 & 25 from which, Beck. 12 in dia. trees. S 63 W 18 the dist; to Hickory 9 " " " N 63 E 12 " " Said 1/2 mile same last 1/2 mile set rate land for farming timber Walnut, Sugon, Poplar, Gum Elm, Beck. Ash &c.
North 40.00	On the East 1/2 of sec. 24 T 10 N R 10 W Set a 7/8 post from which, Beck. 12 in dia. trees. West 21 the dist; to Do. 12 " " " N 41 E 22 " "
45.00	Tr a Brook 6 the mile, corner N.W.
57.50	" " Do. 8 " " " W.
76.50	Tr a small spring corner N.
80.00	Set a post for the cor. of sec. 13 & 24 from which, Elm 10 in dia. trees. S 11 W 29 the dist; to Sugon. 11 " " " N 20 W 62 " " Said 1/2 rate timber same; Last 1/2 mile rate Brook;
North 23.50	On the East 1/2 of sec. 13 T 10 N R 10 W Tr a Brook 15 the mile, corner S.W.
40.00	Set a 7/8 post from which,

T. N. 10 N. R. 10 W. 2nd Mer. Sec. 167

8000 Hickory 10 in diam. beam. 55 8 E. 24 lbs. dist; to
 W Oak. 13 " " " 57 0 W. 26 " "
 Set a post for the cor. of sec. 12 & 13 from which,
 W Oak. 6 in diam. beam. 181 E. 25 lbs. dist; to
 W Oak. 8 " " " 524 W. 23 " "
 Land 1/2 mi. wide and good for farming
 last 1/2 mi. had and cost 3rd rate; Timber Oak,
 Gum Hickory &c.

North On the East 1/2 of sec. 12 T. 10 N. R. 10 W.
 26.00 Top Brook 30 lbs. midy, Course W.
 4000 Set a 1/2 support from which,
 Beech. 11 in diam. beam. 166 W. 14 lbs. dist; to
 Poplar 27 " " " 532 E. 35 " "
 8000 Set a post for the cor. of sec. 17 & 18 from which,
 W Oak. 10 in diam. beam. 168 E. 63 lbs. dist; to
 Ephr. 12 " " " 584 W. 67 " "
 Land had and cost 3rd rate;

North On the East 1/2 of sec. 1 T. 10 N. R. 10 W.
 4000 Set a 1/2 support from which,
 W Oak. 10 in diam. beam. 57 1/2 E. 116 lbs. dist; to
 Hickory 9 " " " 575 W. 120 " "
 8000 Set a timber post for the cor. of T. 9 & 11. R. 9 & 11 W.
 Land had 3rd rate; Timber timbered with Oak &
 Hickory

North Boundary April 21. 1811 C 142
 East On a Run am line On the South 1/2 of sec. 31.
 T. 11. N. R. 10 W.
 36.50 Top Brook 4 lbs. midy, Course S.
 40.00 Set a timber 1/2 support.
 80.00 Set a timber post on the Run am line for the cor. of sec. 31 & 32
 Land 1/2 mi. wide and bottom. last 1/2 very rich &
 very fine. Timber Sugar Hickory, Walnut, & ash,

East On a Random line On the South B. of sec. 32
T. 10 N. R. 10 W.
7.50 To a Brook. 20 lbs. wide, comes S.E.
15.50 To the Right Bank of the Matash River
23 86. Set a temporary post on the East or Left Bk of the River
40.00 Set a temporary 7/8 in. post.
80.00 Set a temporary post for the cor. of sec. 32 & 33.
Sandy 1st rate bottom

East On a Random line On the South B. of sec. 33.
T. 11 N. R. 10 W.
40.00 Set a temporary 7/8 in. post.
51.93 To a Creek or Bayou 100 lbs. wide, comes N.W.
80.00 Set a temporary post for the cor. of sec. 33 & 34.
Sandy 1st rate bottom; Timber Locust Walnut Elm &c.

East On a Random line On the South B. of sec. 34
T. 11 N. R. 10 W. Enters a prairie.
40.00 Set a temporary 7/8 in. post.
80.00 " " " post for the cor. of sec. 34 & 35
Sandy prairie 2nd rate Good for farming
High and much overgrown.

East On a Random line On the South B. of sec. 35.
T. 11 N. R. 10 W.
40.00 Set a temporary 7/8 in. post.
80.00 Crossed the prairie. Set a temporary post for the cor. of
Sec. 35 & 36.
Sandy the same.

East On a Random line On the South B. of sec. 36.
T. 11 N. R. 10 W.
40.00 Set a temporary 7/8 in. post.
75.41 Entered the Range line 255 lbs. North of the post
cor. of T. 10 & 11 N. R. 9 & 10 W.
Sandy level & thin, timbered with Oak & Hickory

T. N. 10 S. R. N. 10 W. 2nd (Mn. Ind. 169

April 25, 1811

C160

West On the true line On the South 13th of sec. 36.
T. N. S. R. 10 W
40.00 Set the tripst 7th ea post on the true line from which,
W Oak. 18 in dist. from S 67 E 175 lks dist; to,
Do. 16 " " " N 49 W 206 " "
80.00 Set the tripst post on the true line for the cor of sec 35 & 36.
from which, W Oak. 14 in dist. from S 45 E 94 lks dist;
under Do. 14 " " " S 25 W 126 " "

West On the true line On the South 13th of sec. 35.
T. N. S. R. 10 W
40.00 Set the tripst 7th ea post on the true line in prairie.
Not bearing true;
80.00 Set the tripst post on the true line for the cor of sec 34 & 35.
in prairie Not bearing true

West On the true line On the South 13th of sec. 34.
T. N. S. R. 10 W
40.00 Set the tripst 7th ea post on the true line in a prairie
Not bearing true.
80.00 Set the tripst post on the true line for the cor of sec 33 & 34
from which, Hick 10 in dist. from S 78 W 195 lks dist;
under Do. 12 " " " N 31 W 218 " "

West On the true line On the South 13th of sec. 33.
T. N. S. R. 10 W
40.00 Set the tripst 7th ea post on the true line from which, on
Edm. 13 in dist. from N 9 E 38 lks dist; to
Hackberry 7 " " " S 55 E 5 " "
80.00 Set the tripst post on the true line for the cor of sec 32 & 33.
from which, P Oak. 12 in dist. from S 1 E 44 lks dist;
under W Oak. 30 " " " N 36 W 75 " "

West On the true line On the South 13th of sec. 32
T. N. S. R. 10 W

40.00	Set the temp. 7 th report on the line from which, 400 feet 10 in dist. from N 13 th W 43 th the dist; to Oak 10 " " " S 13 th W 30 " "
51.10	Set a post on the Left Bk. of the Matash River for the con. of sec. 32. from which, Maple 12 in dist. from N 61 th W 14 th the dist; to Cottonwood 36 " " " S 70 th E 11 " "
60.95	Set a post on the Right Bk. of the Matash for the con. of sec. 32 from which, Red Bud 6 in dist. from N 50 th E 3 th the dist; to Maple 18 " " " S 34 th W 32 " "
76.45	Set the temp. 1 st post on the line from the con. of sec. 32 31 st 32 nd from which, Horn 8 in dist. from N 47 th E 47 th the dist; and a Sycamore 10 " " " S 18 th E 42 " "
West	On the line On the South Bk. of sec. 31. T. N. 10 N.
40.00	Set the temp. 7 th report on the line from which, Oak 9 in dist. from N 58 th E 33 th the dist; to Hick 6 " " " S 54 th W 7 " "
50.00	Set a post at the intersection of the lines for the con. of sec. 1. 6. 31 Bk. T. N. 10 N. S. 10 th W 123 th the dist. South of the first intersection of the line from which, Sugar 8 in dist. from S 12 th W 8 th the dist; to Buck 10 " " " N 33 th E 13 " "
West	Between T. N. 10 N. R. N. 10 W from the con. of the line.
40.00	Set a 7 th report for the con. of sec. 31 Bk. from which, Hick 8 in dist. from N 7 th E 28 th the dist; to Do. 18 " " " N 35 th W 38 " "
West	Continued on said line
40.00	Set a 7 th report for con. of line N. 31. T. N. 10 N.
80.09	To Iron Camp T. N. 10 N. R. N. 10 W Set two lines by Arthur Harris. D. S.

T. N. 10 N. R. N. 10 W. 2nd Mer. Sec. 171

West Boundary 1.6550' N. 11. 0.131

North Cont. East Boundary of sec. 36. T. 10 N. R. 11
 40.00 Set a 7/8" cap post from which
 I. Oak 10 in dia. bears S 68 E. 33 lbs. dist; to
 Maple 16 " " " N 86 W. 24 " "
 80.00 Set a post for the cor. of sec. 25 & 36. from which
 Spruce 10 in dia. bears S 47 E. 14 lbs. dist; to
 Cottonwood 9 " " " S 40 W. 28 " "
 Sand level and conforms. Timber Oak, Hickory & Elm.

North Cont. East B. of sec. 25 T. 10 N. R. 11 W.
 40.00 Set a 7/8" cap post from which
 Elm 18 in dia. bears S 11 E. 9 lbs. dist; to
 Walnut 8 " " " N 25 E. 36 " "
 80.00 Set a post for the cor. of sec. 24 & 25 from which
 Hickory 11 in dia. bears N 24 E. 20 lbs. dist; to
 Spruce 36 " " " S 6 W. 34 " "
 Sand level and conforms as much as 10 or 12 feet.
 Timber Maple Oak & Elm. &c.

North Cont. East B. of sec. 24. T. 10 N. R. 11 W.
 40.00 Set a 7/8" cap post from which
 Elm 36 in dia. bears S 69 W. 5 lbs. dist; to
 Elm 14 " " " N 69 E. 21 " "
 80.00 Set a post for the cor. of sec. 13 & 24 from which
 Elm 12 in dia. bears S 8 W. 27 lbs. dist; to
 Elm 12 " " " N 13 E. 7 " "
 Sand conforms bottom. Timber Elm, Maple, Ash,
 Box Elder.

North Cont. East B. of sec. 13. T. 10 N. R. 11 W.
 3.00 Cont. a prairie.
 40.00 Set a 7/8" cap post in prairie. No bearing trees
 80.00 Set a post for the cor. of sec. 12 & 13. in prairie.
 No bearing trees
 Sand level and rich prairie which sometimes conforms

T. N. 10 N. R. 10 W. 2nd Mer. Ind.

North
40.00 On the East Bk of sec. 12 T. 10 N. R. 10 W.
Crossed the prairie on a log a post from which,
Secrest 18 in diam. b. w. S 80 E. 14 lb. dist; top
Elev. 12 " " " N 47 E 78 " "
80.00 Set a post for the cor. of sec. 18 12 from which you
Elev. 10 in diam. b. w. S 73 N. 7 lb. dist; top
10.24 " " " S 64 E 32 " "
Found a 1st rate bottom, which sometimes overflows; Most
of it is prairie. The prairie lies principally on the East
side.

North
40.00 On the East Bottom of sec. 1. T. 10 N. R. 10 W.
Set a post from which,
13 Natash. 12 in diam. b. w. S 44 N. 26 lb. dist; top
Elev. 9 " " " N 17 E 56 " "
45.83 Set a post on the Left Bk. of the Natash River for the cor.
of sec. 1. from which
Natash. 6 in diam. b. w. S 58 E. 11 lb. dist; top
Elev. 14 " " " N 66 E. 8 " "
Found a 1st rate; bottom, which sometimes overflows.
Sometimes but not often;
47.14 To the Edge of the River.
57.39 Set a post on the Right Bk. of the Natash River for the
cor. of sec. 1. from which,
Natash. 13 in diam. b. w. S 89 E. 12 lb. dist; top
Elev. 13 " " " N 49 E 17 " "
80.00 Set a temporary post for the cor. of T. 10 N. R. 10 W.
Surveyed by
William Harris
Depy Survey

Subdivisions

South
40.00 Return Sec 35 36. T. 10 N. R. 10 W.
Set a post from which you
Elev. 12 in diam. b. w. S 9 E 31 lb. dist; top
Beck 24 " " " N 70 E 32 " "

T. N. 10 N. R. 10 W. 2nd Mer. Ind. 173

80.00	Set a post for the corner of sec. 25, 26, 35 & 36 from which N Oak 10 in dist. from S 85 E. 5 lbs dist; to W Oak 8 " " " N 26 W 3.4 " Land here and with Timber Replant, Buck, Oak & Hick Hick & V.
East	On a Ran. line between Sec. 25 & 36. T. 10 N. R. 10 W.
40.00	Set a temporary post.
80.00	Intersect the East R. 12 lbs South of the post corner of sec. 25 & 36. Land as the same.
West	On the same line between Sec. 25 & 36. T. 10 N. R. 10 W.
40.00	Set the temporary post at the corner with the same line from which N Oak 20 in dist. from N 86 E. 63 lbs dist under a Buck 20 " " " S 69 E 74 " "
80.00	To the post corner of sec. 25, 26, 35 & 36.
North	Return Sec. 25 & 36. T. 10 N. R. 10 W.
40.00	Set a post from which N Oak 24 in dist. from S 50 W. 28 lbs dist; to D. 14 " " " " " "
80.00	Set a post for the corner of sec. 23, 24, 25 & 26, in prairie. No bearing true.
East	On a Ran. line between Sec. 24 & 25. T. 10 N. R. 10 W.
10.00	To timber land.
15.50	To a Brook 19 lbs mid. corner.
80.44	Intersect the East R. 44 lbs South of the post corner of Sec. 24 & 25. Land with; Timber Buck, Oak & Hick
West	On the same line between Sec. 24 & 25 T. 10 N. R. 10 W.
40.22	Set the temporary post at the corner with the same line from which N Walnut 15 in dist. from East. 1 lb dist
80.44	To the post corner of sec. 23, 24, 25 & 26.

North Between Secs 23 & 24 T. 10 N R. 10 W.
 40.00 Set a 7th support from which
 W Oak. 6 in diam. bears N 45 W 7 lbs dist; to
 W Oak. 12 " " " S 1 E 34 " "
 80.00 Set a post for the cor of sec. 13 14. 23 & 24 from which
 Sugar. 10 in diam. bears S 84 W 33 lbs dist; to
 Spruce. 10 " " " N 50 W 42 " "
 Same as the same.

East On a Run arm line between Secs 13 & 24 T. 10 N R. 10 W
 40.00 Set a temp. 7th post for the cor of 1st cor.
 80.18 Set out the East. C. 12 lbs South of the post cor of
 Secs 13 & 24.
 Same as the same

West On the True line between Secs 13 & 24. T. 10 N R. 10 W
 40.09 Set the temp. 7th support at the cor. on the true line
 from which, Buck 18 in diam. bears S 40 E 11 lbs dist;
 made Do. 10 " " " S 16 W 19 " "
 80.18 To the post cor of sec. 13 14. 23 & 24.

North Between Secs 13 & 14 T. 10 N R. 10 W
 40.00. Set a 7th support from which,
 W Oak. 12 in diam. bears N 52 E 14 lbs dist; to
 Do. 18 " " " S 6 W 47 " "
 40.50 To prairie
 80.00 Set a post for the cor of sec. 11 12 13 & 14 from which -
 in prairie no bearing true.

East On a Run arm line between Secs 12 & 13. T. 10 N R. 10 W
 5.00 To timbered land.
 40.00 Set a temp. 7th support
 49.80 Set out the East. C. 20 lbs South of the post cor of
 Secs 12 & 13.
 Same flat

J. N. 10 N R. N. 10 W 2nd Mer. Ind. 175

West
39.90 On the true line between Sec 12 & 13, T. 10 N R. 10 W
N Oak. 10 bears East 34 Ws dish from the post on of
1/4 sec.
49.80 To the post on of sec 11, 12, 13, & 14

North
5.00 Return Sec 11 & 12 T. 10 N R. 10 W
To timbered land
40.00 Set a 1/4 supst from white
W Oak. 18 in dia bears N 10 E. 23 W dish, 1/4
10. 18 " " " 66 W. 43, "
80.00 To on John. 12 in dia. Stand for the end of Sec. 12 & 13
12 Second the same.

East
35.00 On N and dim line between Sec 1 & 12 T. 10 N R. 10 W
To a Road covered with Grass
40.00 Set a tripit 1/4 supst.
44.00 To timbered land.
79.87 Set out the East 13.7 at the post on of Sec. 1 & 12
Second same.

West
39.93 On the true line between Sec 1 & 12 T. 10 N R. 10 W.
Set the tripit 1/4 supst at the ar dish on the true
Corner a Swamp of 1/4 sec
79.87 To the post on of sec 1, 2, 11, & 12

North
34.00 Return Sec 1 & 12 T. 10 N R. 10 W
To a Prairie
40.00 Set a 1/4 supst in prairie.
Not bearing true
50.00 To timbered land
81.58 Set out the W.B. 1 at the post on of sec 35 & 36.
T. 11 N R. 10 W
Same as calling; Timber Oak & Hick

North
40.00 Return Sec 34 & 35 T. 10 N R. 10 W
Set a 1/4 supst from white

T. N. 10 N. R. 10 W. Q. 10 M. S. 10

85.00	Red Oak 18 in dia. hms. N 60 W. 7 lb. dish; 20 Dum. 36 " " " N 37 E. 41 " " Set a post for the cor of cor 26, 27, 34 & 35 from which, W Oak 12 in dia. hms. N 64 E. 22 lb. dish; 20, W Oak 24 " " " N 87 E. 48 " " Land rich and level; Timber Oak, Hickory Ash, & Poplar.
East	On a Run arm line between Sec. 26 & 35 T. 10 N. R. 10 W.
17.00	To a Brook 10 lbs. mid. Corner N
40.00	Set a temp. 17 in a post.
80.08	Set out the N & S line 12 lbs. South of the post cor of Sec. 25, 26, 35 & 36. Land & some.
West	On the line between Sec. 26 & 35 T. 10 N. R. 10 W.
40.04	Set the temp. 17 in a post at the cor dish with the line from which, Poplar 18 in dia. hms. S 20 E. 18 lb. dish; and a Dum. 12 " " " S 30 W. 19 " " 80.08 Set the post cor of cor 26, 27, 34 & 35
North	Return Sec. 26 & 27. T. 10 N. R. 10 W.
40.00	Set a 7 in a post from which Horn 6 in dia. hms. S 27 W. 6 lb. dish; 20 Land 4 " " " West 1 " " 80.00 Set a post for the cor of cor 22, 23, 26 & 27 from which, W Oak 20 in dia. hms. S 82 W. 42 lb. dish; 20, W Oak 10 " " " North 4 " " Land brushy Timber Oak, Hickory, some Poplar.
East	On a Run arm line between Sec. 23 & 26. T. 10 N. R. 10 W.
40.00	Set a temp. 17 in a post.
46.00	To a Prairie.
80.00	Set out the N & S line 12 lbs. South of the post cor of cor 23, 24, 25 & 26. Land & some.

West	On the same line between Sec. 23 & 26 T. 10 N R. 10 W
40,00	Set the temporary support on the same line at the corner dish from which, Black 20 in dist. beam 25 N 39 E the dish.
	imp. on Elm. 20 " " " N 34 E. 16 " "
80,00	Set the post on of sec 22, 23, 26 & 27.
North	Between Sec. 22 & 23 T. 10 N R. 10 W.
40,00	Set a post support from which
	W Oak 15 in dist. beam. 26 N 24 E the dish; to
	Beach 20 " " " N 43 E. 22 " "
80,00	Set a post for the corner of sec 14, 15, 22 & 23 from which,
	W Oak 13 in dist. beam. N 88 E. 50 the dish; to,
	Do. 18 " " " N 73 E. 21 " "
	Send back Timber Oak & Hickory
East	On a Random line between Sec. 14 & 23. T. 10 N R. 10 W
40,00	Set a temporary support.
7989	Set out the N & S line at the post corner of sec. 13, 14, 23 & 24
	Send the same.
West	On the same line between Sec. 14 & 23. T. 10 N R. 10 W
39.94 ft	Set the temporary support at the corner dish on the same line
	from which, Black 18 in dist. beam. N 43 E. 33 the dish
	imp. on Do. 12 " " " N 49 E. 12 " "
7989	Set the post corner of sec. 14, 15, 22 & 23.
North	Between Sec. 14 & 13 T. 10 N R. 10 W
40,00	Set a post support from which,
	W Oak 20 in dist. beam. N 51 E. 22 the dish; to,
	Do. 24 " " " N 49 N 44 " "
80,00	Set a post for the corner of sec. 10, 11, 14 & 15 from which,
	W Oak 12 in dist. beam. N 75 N 27 the dish; to,
	Black 18 " " " N 36 E. 32 " "
	Send the same.
East	On a Random line between Sec. 11 & 14 T. 10 N R. 10 W

10.07 To a Prairie.

40.00 Set a trap for a suspect

80.10 Intercept the N & S line 8 lbs. North of the post en g.

See 11.12, 13 & 14

Send the same

West On the same line between Sec 11 & 14 T. 10 N R. 10 W

40.05 Set the trap for a suspect at the ar dist on the same line from which - In prairie.

80.10 To the post en g. Sec 10. 11. 14 & 15.

North Return Sec 10 & 11. T. 10 N R. 10 W

40.00 Set a trap for a suspect from which

Heik 12 in dist from. N 81 W 21 lbs dist; or

Do. 14 " " " N 57 W 37 " "

80.00 Set a post for the en g. Sec 2, 3, 10 & 11. from which

Wash. 24 in dist from. N 82 E. 35 lbs dist; or

Egon. 12 " " " N 52 W 18 " "

Send the same.

East On a Random line between Sec 2 & 11. T. 10 N R. 10 W

9.50 To a Spring corner N

40.00 Set a trap for a suspect

60.50 To a Brook 6 lbs. N. corner N

79.98 Intercept the N & S line at the post en g. Sec 1, 2, 11 & 12. Send the same.

West On the same line between Sec 2 & 11. T. 10 N R. 10 W

39.99 Set the trap for a suspect at the ar dist on the same line from which Sugar. 12 in dist from. N 46 W 3 lbs dist

and or Do. 10 " " " N 40 W 15 " "

79.98 To the post en g. Sec 2, 3, 10 & 11

North Return Sec 2 & 3. T. 10 N R. 10 W

30.00 To a Prairie

40.00 Set a trap for a suspect from which

179

T. N. 10 N. R. N. 10 W. 2nd Mer. Ind.

80.25	<p>Suprairie Notarizing Inds.</p> <p>To the post cn of lot 34 & 35, T. 11. N. R. 10 W</p> <p>Land here and do not.</p>
North	Return lot 33 & 34 T. 10 N. R. 10 W
5.00	To Prairie.
30.00	To timbered land
40.00	Set a 1/4 section from which
	<p>White 10 in dist. from NW 1/4 38 1/2 the dist; to</p> <p>W Oak 20 " " " N 45 E 12 " "</p>
80.00	<p>Set a post for the cn of lot 27, 28 33 & 34 from which</p> <p>Maple 10 in dist. from N 11 E 50 the dist; to</p> <p>White 12 " " " S 33 W 48 " "</p> <p>Good Timber and a little rolling Timber Oak & White</p>
East	Qua Run am line Return lot 27 & 34 T. 10 N. R. 10 W
40.00	Set a temp. 1/4 section
80.00	<p>Enter out the S 1/2 line 8 miles South of the post cn of</p> <p>lot 26, 27, 34 & 35.</p> <p>Land the same.</p>
West	Qua Run line between lot 27 & 34 T. 10 N. R. 10 W
40.00	Set a 1/4 section on the line at the cn dist from which
	<p>W Oak 12 in dist. from S 39 E 51 the dist; to</p> <p>" 12 " " " N 60 W 54 " "</p>
80.00	To the post cn of lot 27, 28 33 & 34
North	Return lot 27, 28 T. 10 N. R. 10 W
40.00	Set a 1/4 section from which #
49.00	To Brook 20 miles west, Union W.
50.00	To Prairie
59.00	To timbered land;
#	<p>White 6 in dist. from N 46 W 15 the dist; to</p> <p>Oak 20 " " " S 11 W 17 " "</p>
80.00	<p>Set a post for the cn of lot 21, 22, 27 & 28 from which</p> <p>Black 20 in dist. from South 40 the dist; to</p>

T. N. 10 N. R. N. 10 W. Sec. 27. T. 10 N. R. 10 W.

Heads 10 in dist. from N 77 E 32 the creek;
 Same the same.

See

East On a Random line between Sec 22 & 27 T. 10 N. R. 10 W.
 13.00 To a prairie.
 40.00 Set a temp. in a post.
 52.00 To a Brook 20 lbs wide, Corner J.
 80.00 Enter out the N 13 line to the south of the post on of Sec.
 22, 23, 26 & 27
 Same the same.

West On the same line between Sec. 22 & 27. T. 10 N. R. 10 W.
 40.00 Set the temp. in a post at the ar. dish on the same line
 from which, N Oak 12 in dist. from S 35 W 4 the dish
 any do do do 12 " " " N 38 E 43 " "
 80.00 To the post on of Sec. 21, 22, 27 & 28.

North Between Sec. 21 & 22 T. 10 N. R. 10 W.
 30.00 To a Prairie.
 40.00 Set a post on of Sec. 21 from which, — in prairie
 No bearing true
 43.00 To timbered land.
 80.00 Set a post for the cor. of Sec. 15, 16, 21 & 22 from which
 E. 12 in dist. from N 64 W. 11 the creek; on
 Heads 10 " " " S 27 E 46 " "
 Land and Timber Oak & Hickory

East On a Random line between Sec. 15 & 22 T. 10 N. R. 10 W.
 4.50 To a Brook 18 lbs wide, Corner J.
 40.00 Set a temp. in a post
 79.98 Enter out the N 13 line 8 lbs South of the post on
 14, 15, 22 & 23
 Same the same.

West Between Sec. 15 & 22 On the same line T. 10 N. R. 10 W.
 39.99 Set the temp. in a post at the ar. dish on the same line

T. No 10 N R. No 1077 2nd Mer. Ind. 181

from which W Oak 12 in dia. bears N 26 W. 22 lbs ash;
under 100-10 " " " N 79 E 32 " "
79.98 To the post on of ew. 15.16. 21 & 22

North Return Sec. 15 & 16. T. 10 N R. 1077.
40.00 Set a 1/4 capost from which
W Oak. 20 in dia. bears N 47 W 38 lbs ash; &
W Oak. 12 " " " N 21 W 15 " "
80.00 Set a post for the cor of ew. 9.10.15 & 16. from which;
W Oak. 12 in dia. bears N 62 W. 43 lbs ash; &
Ho. 18 " " " N 34 W 39 " "
Same as the same.

East On a Roman line between Sec. 10 & 15 T. 10 N R. 1077
40.00 Set a temp. 1/4 ew post
80.10 Set out the N & S line 18 lbs South of the first cor of ew.
10.11.14 & 15.
Same as the same.

West On the same line between Sec. 10 & 15 T. 10 N R. 1077.
40.00 Set a 1/4 capost on the same line at the cor dia. form.
which, W Oak. 12 in dia. bears N 67 W. 39 lbs ash;
under Ho. 18 " " " N 27 E 27 " "
80.10 To the post on of Sec. 9.10.15 & 16.

North Return Sec. 9 & 10. T. 10 N R. 1077
40.00 Set a 1/4 capost from which
W Oak. 24 in dia. bears N 73 W 38 lbs ash; &
W Oak. 20 " " " N 60 E. 20 " "
59.60 To a W Oak. 15 in dia. in the line.
80.00 Set a post for the cor of ew. 3.4.9 & 10 from which;
Sammock 6 in dia. bears N 33 W. 15 lbs ash; &
Ho. 4 " " " N 55 E. 9 " "
Same as a timber same

East On a Roman line between Sec. 3 & 10. T. 10 N R. 1077

T. N. 10 N. R. N. 10 W. 21.1. (Mr. Sud.)

40.00 Set a temp. 7/4 in support.
 79.88 Set out the N. 10 line 18 W. North of the post cor of
 Sec 2, 3, 10 W.
 Same the same.

West On the line between Sec. 3 & 10. T. 10 N. R. 10 W.
 39.74 Set the temp. 7/4 in support at the cor dish on the line
 from which an Elm. 12 in dia. bears. S 87° 7' E the dish
 and a Do. 12 " " " N 26° E 35 " "
 79.88 Set the post cor of sec. 3 & 4 9 & 10

North Between Sec. 3 & 4. T. 10 N. R. 10 W.
 5.00 To a Prairie.
 40.00 Set a 7/4 support.
 80.00 Set out the N. 10 line at the post cor of sec. 33 & 34 T. 10 N.
 R. N. 10 W. Cor in Prairie.

North Between Sec. 32 & 33. T. 10 N. R. 10 W.
 40.00 Set a 7/4 support from which
 Poplar. 20 in dia. bears. South 10 W. creek; or
 Do. 12 " " " S 87° 7' 22 " "
 80.00 Set a post for the cor of sec. 28, 29, 32 & 33 from which
 Oak 10 in dia. bears. S 88° E 32 W the dish; or
 Poplar. 18 " " " N 32° 7' 28 " "
 Sand rolling under brush. Lumber Oak. Height 78
 Poplar.

East On a corner line between Sec. 28 & 33. T. 10 N. R. 10 W.
 40.00 Set a 7/4 support post
 80.18 Set out the N. 10 line at the post cor of sec. 27, 28.
 33 & 34.
 Same the same.

West On the line between Sec. 28 & 33. T. 10 N. R. 10 W.
 40.09 Set the temp. 7/4 in support at the cor dish on the line
 from which Oak 18 in dia. 7/4 in Cor.

T. N. 10 N R. 10 W 2nd Mer. Ind. 183

86.18 To the post on of sec. 28, 29, 32 & 35.

North Return Sec. 28 & 29. T. 10 N R. 10 W.

24.40 To a Poplar, 20 in dia. in the river.

40.00 Set a 7/8 support from which,

Keat 10 in dia. from North 65 lbs oak;

61.00 To a Birch 18 lbs dia. Corner NW

80.00 Set a post for the cor. of sec. 20, 21, 28 & 29 from which,

W oak 12 in dia. from N 51 E 23 lbs oak; &

Do. 18 " " " N 87 E 35 " "

Land the same.

East On a Run arm line between Sec. 21 & 28 T. 10 N R. 10 W

40.00 Set a temp. 7/8 support.

80.00 Enter east the NW 3 line 12 lbs South of the post on of
Sec. 21, 22, 27 & 28.

Land the same.

West On the Run line between Sec. 21 & 28 T. 10 N R. 10 W

40.00 Set the temp. 7/8 support at the cor. dia. for the Run line

from which, W oak 10 in dia. from N 38 W 42 lbs dia.

W oak 10 " " " N 60 E 12 " "

80.00 To the post on of sec. 20, 21, 28 & 29

North Return Sec. 20 & 21. T. 10 N R. 10 W

40.00 Set a 7/8 support from which,

W oak 12 in dia. from N 51 E 47 lbs oak; &

W oak 40 " " " N 67 W 61 " "

80.00 Set a post for the cor. of sec. 16, 17, 20 & 21 from which,

E oak 12 in dia. from N 44 E 32 lbs oak; &

Do. 20 " " " N 85 W 69 " "

Land the same.

East On a Run arm line between Sec. 16 & 21. T. 10 N R. 10 W

40.00 Set a temp. 7/8 support

80.00 Enter east the NW 3 line 18 lbs North of the post on of sec.

	15.16.21.22 Same as the same.
West 40.00	On the same line between Sec. 16 & 21. T. 10 N R. 10 W Set the timber 1/4 section at the corner on the same line from which, N Oak 12 in dist. from. N 50 E 37 lbs dist; made a N Oak 24 " " " N 7 E 36 " "
80.00	To the post on of sec. 16. 17. 20 & 21.
North 40.00	Between Sec. 16 & 17. T. 10 N R. 10 W Set a 1/4 section from which N Oak 20 in dist. from East 4 lbs dist; 80.00 Set a post for the cor of sec. 8. 9. 16 & 17. from which to post 20 in dist. from. N 47 E 7 lbs dist. to height 8 " " " N 83 E 7 " "
	Same as the same.
East 23.00	On a Ran down line between Sec. 9 & 16. T. 10 N R. 10 W To spring corner N E.
24.50	" " " " 4 lbs in dist. corner N
38.00	To spring corner S W.
40.00	Set a timber 1/4 section
79.94	Intersect the N 15 line 10 lbs S. to of the post on of Sec 9. 10. 15 & 16. Same as the same.
West 39.97	On the same line between Sec. 9 & 16. T. 10 N R. 10 W Set the timber 1/4 section at the corner on the same line from which on Elm 12 in dist. from. N 10 E 25 lbs dist made a Sugar. 12 " " " S 51 W 48 " "
79.94	To the post on of sec. 8. 9. 16 & 17
North 6.00	Between Sec. 8 & 9. T. 10 N R. 10 W To spring.
30.00	To a Road leading N. 10. 15 W
40.00	Set a 1/4 section in spring

T. N. 10 N R. N. 10 W 2nd Mer. Jan. 185

80.00	Set a post for the corner of sec 45. 8 & 9 from which W. 1/4 Sec 12 in dist. from, Sec 6 & 143 the dist. is This post stands in the North Edge of a prairie.
East	On a Roman line between Sec 4 & 9 T. 10 N R. 10 W
2.00	To timbered land
10.00	To prairie
29.50	To a Road leading N.E. & S.W
40.00	Set a timber in a post
68.00	To timbered land
80.00	Enter cut the N.E. line 1000 South of the post corner of Sec 3. 4. 9 & 10
West	On the same line between Sec 4 & 9 T. 10 N R. 10 W
40.00	Set a timber in a post at the corner in the same line from which in prairie.
80.00	To the post corner of Sec 4. 5. 8 & 9
North	Between Sec 4 & 5 T. 10 N R. 10 W
16.00	To a wet prairie
35.00	To timbered land
40.00	Set a post from which Run Rod 6 in dist. from. Sec 22 N 3/4 Sec 143, & Do. A " " " N 5 W 16 " "
42.00	To a pond 250 Yds in dist. between N.E. & S.W.
44.00	To a prairie.
73.00	To timbered land
80.11	Enter cut the N.E. at the post corner of sec 32 & 33. T. 11 N R. 10 W
North	Between Sec 31 & 32 T. 10 N R. 11 W
30.00	Enter a prairie.
40.00	Set a post from which
56.00	To a Road leading S.W. & N.E.
80.00	Set a post for the corner of sec 29. 30. 31 & 32 from which post stands in prairie.

T. N. 10 N. R. N. 10 W 2nd Mer. Sec.

Land and Timber Cont'd

East	On a Remains line between Sec 29 & 32 T. 10 N. R. 10 W
8.70	Log Road leading N & S
40.00	Set a trap for 1/4 sec
44.00	To timbered land
80.10	Set out the N & S line at the post c'n of sec. 28, 29, 32 & 33. Land the same.
West	On the line between Sec 29 & 32 T. 10 N. R. 10 W
40.05	Set the trap for 1/4 sec at the ar ditch on the line in prairie.
80.10	To the post c'n of sec 29, 30, 31 & 32
* North	Between Sec 29 & 30. T. 10 N. R. 10 W
40.00	Set a 1/4 sec post
44.50	To a Post 40 lbs. mid, corner of Sec in which is some timber
58.50	To prairie.
80.00	Set a post for the c'n of sec 19, 20, 29 & 30 in the prairie.
East	On a Remains line between Sec 20 & 29. T. 10 N. R. 10 W
40.00	Set a trap for 1/4 sec post
42.00	To timbered land
80.00	Set out the N & S line 14 lbs. South of the post c'n of Sec 20, 21, 28 & 29. Land the same.
West	On the line between Sec 20 & 29. T. 10 N. R. 10 W
40.00	Set the trap for 1/4 sec post on the line at the ar ditch
80.00	To the post c'n of sec 19, 20, 29 & 30
* West	Between Sec 30 & 31 T. 10 N. R. 10 W
33.00	To timbered land
40.00	Set a 1/4 sec post for whet

J. 10 NR. N: 1071 Qu. Mn. Jan! 189

Maple 10 in dist. from S 65 E 71 Nk. Nub: to
 Do. 10 " " " N 88 W 32: "
 54.00 To a Brook 18 Nk. mid, Common C.
 80.74 Enter cut the West 93.722 Nk. South of the post on of
 Dec. 25 136. J 10 NR 1171 on a cut aspect on of Dec.
 30 131. from which,
 13 Oak. 8 in dist. from N 42 E. 7 Nk. Nub: to
 Hick 12: " " " 45 E. 19: "

West Return Dec. 19 130. J 10 NR 1071
 40.00 Set a 7/4 ew post
 64.00 To timberland
 79.82 Enter cut the West 93.7 at the post on of Dec. 24 135
 Sound flat Timber Oak & Hickes some Elm.

North Return Dec 19 130 J. 10 NR 1071
 40.00 Set a 7/4 ew post
 80.00 Set a post for the on of Dec 19. 20 17.8 18 from which,
 in prairie.

East Open Random line between Dec. 17 120 J 10 NR 1071
 40.00 Set a timber 7/4 ew post
 71.00 To timberland.
 80.00 Enter cut the N 13 line 10 Nk. North of the post on of Dec.
 16. 17 20 & 21.
 Sound the same

West Open the line between Dec. 17 120 J 10 NR 1071
 40.00 Set a timber 7/4 ew post at the arch in the line in
 in prairie.
 80.00 To the post on of Dec. 17. 18 19 20.

West Return Dec. 18 119 J. 10 NR 1071
 40.00 Set a timber 7/4 ew post
 78.10 Enter cut the West 93.7 at the ~~West 93.7~~ post on
 of Dec. 13 124. J. 10 NR 1171 in prairie.

T. N. 10 N. R. N. 10 W. 2nd Mer. Land.

North	Return Dec 17/48 T. 10 N. R. 10 W.
40.00	Set a post in prairie.
80.00	Set a post for the cor. of sec 7. 8. 17. & 18 in prairie.
East	On a Random line between Dec 8/47 T. 10 N. R. 10 W.
14.00	To timbered land.
40.00	Set a temp. post in prairie.
72.86	To Road leading N. 10.
80.00	Intersect the N. 10. line at the post cor. of sec 8. 9. 16 & 17
West	On the same line between 8/47 T. 10 N. R. 10 W.
40.00	Set a temp. post in prairie on the line set by such from which, N. 10. 18 in dist. from S. 14 E. 22 the north, to N. 10. 20 " " " N. 27 E. 20 " "
80.00	Set the post cor. of sec 7. 8. 17 & 18
West	Return Dec 7/48 T. 10 N. R. 10 W.
40.00	Set a post in prairie.
72.10	Intersect the West 13.7 at the post cor. of sec 12 & 13. T. 10 N. R. 11 W.
	In prairie.
North	Return Dec 7/48 T. 10 N. R. 11
27.00	To timbered land
34.00	To a Prairie.
40.00	Set a temp. post in prairie
46.00	To a Point of timbered land 10 ch. N. 10.
80.00	Set a post for the cor. of sec 5. 6. 7. & 8 from which, In prairie. Sec. de the same.
East	On a Random line between Dec 5/48 T. 10. N. R. 10 W.
35.00	To timbered land
40.00	Set a temp. post in prairie
62.00	To Brook 259 ch. N. 10, Sec. de
80.00	Intersect the N. 10. line 18 ch. South of the post cor. of

T. N. 10 N. R. 10 W 2nd Mer. Ind 7

Sec 4. 5. 8 & 9

West On the 9th line between Sec 5 & 8 T. 10 N. R. 10 W
40.00 Set a temporary in easement at the ar ditch in the 9th line
from whitts Macklery 10 in dist. from S 40 E 13 the dist
meas. Do. 8 " " " S 77 N 12 " "
80.00 To the post on of ew. 5. 6. 7. & 8.

West Between Sec 6 & 7 T. 10 N. R. 10 W
40.00 Set a 7th ew post.
74.00 To timber land
76.00 Enter cut the West 1/2 at the post on of ew. 1 & 10
T. 10 N. R. 11 W

North Between Sec 5 & 6 T. 10 N. R. 10 W
40.00 Set a 7th ew post.
45.00 To some timber
46.88 Set a post on the Left BR of the Wabash R for the cut of ew.
576 from whitts
Engar 10 in dist. from N 60 W 16 the dist. by
Do. 20 " " " N 83 E 22 " "
56.87 Set a post on the Right BR of the Wabash River for the
cut of ew. 576 from whitts
Maple 4 in dist. from S 80 E 16 the dist. by
Do. 15 " " " N 73 W 10 " "
80.10 Enter cut the N 1/2 30 the West of the post on of ew.
31 & 32. T. 11 N. R. 10 W and set a post for the cut of ew.
576 from whitts, Sec 10 6 in dist. from S 23 W 37 the dist.

Meanders of the Left BR of the Wabash River
Commenced in the West 1/2 of ew. 6. T. 10 N. R. 10 W
thru up stream in Sec. 6

N 67 E. 6.50
N 68 E. 44.00
N 69 E. 34.20 To the cut of ew. 576.

190

S. N. 10 N. R. N. 10 W. 2nd Mer. Ind.

N68E 25.00

N26E 10.50

N7E 12.00 Into NBT of Township. Sec. 6.

Meanders of the Right BR of the Matash River
Commencing in the West 137 of Sec. 6. Run up
Stream in Sec. 6

N78E 760

S67E 37.00

East 7.50

N67E 28.00 Into cor. of Sec. 5 & 6.

N57E 1480

N33E 8.50

N5E 8.50 Into the cor. of the NBT

Surveyed by
Arthur Henrich
Dep. Ind.

I certify that the foregoing Transcript of the
field notes of Township N. 10 North of Range
N. 10 W. of the 2nd Mer. in Indian Co., has been
compared with the original notes in this Office
and found to be correct.

Surveyor General's Office
Cincinnati, Sep. 20 1841

E. J. Henrich
Dep. Ind.